

INDEX MAPS.

T. 0 N, R. 6 E. 2nd Mer.

	87		86		86		86		85		85	
89	6	111	5	105	4	101	3	97	2	93	1	85
	110		110		104		100		96		93	
89	7	109	8	104	9	100	10	96	11	92	12	84
	109		109		104		100		96		92	
88	18	108	17	103	16	99	15	95	14	92	13	84
	108		108		103		99		95		91	
88	19	107	20	103	21	99	22	95	23	91	24	84
	107		107		102		98		94		90	
88	30	106	29	102	28	98	27	94	26	90	25	83
	106		106		101		97		94		90	
87	31	105	32	101	33	97	34	93	35	89	36	83
	82		82		82		81		81		81	

Meanders 111

Meanders 111

T. 10 N, R. 6 E. 2nd Mer.

	120		120		120		119		119		119	
122	6	145	5	139	4	135	3	130	2	127	1	118
	145		145		139		135		131		126	
122	7	144	8	138	9	134	10	130	11	126	12	118
	144		144		138		134		130		125	
122	18	143	17	138	16	133	15	129	14	125	13	118
	143		143		137		133		129		125	
121	19	142	20	137	21	133	22	128	23	124	24	117
	142		141		136		132		128		124	
121	30	141	29	136	28	132	27	128	26	124	25	117
	140		140		136		132		127		123	
121	31	140	32	135	33	131	34	127	35	123	36	116
	116		116		115		115		115		115	

The figures on the lines refer to the page.

Township N. 10 North, Range N. 6 East 2. Mer. Ind. a

Township Lines.

South Boundary

West on the S. Boundary of Sec. 36

40.00 set of sec. port from which

a Beech 40 in. diameter S 80 E 17 1/2 lbs. dist. 8

a Do 6 " " " N 1 E 11 " "

80.00 set port cor. of sec. 35 & 36 from which

a ——— 7 in. diameter N 30 W 6 lbs. dist. 8

a Do 16 " " " S 85 E 26 " "

Over good farming land, timbered Beech, Ash &
Ulp. Spruce

West on the S. Boundary of Sec. 35

40.00 set of sec. port from which

a Beech 12 in. diameter N 57 W 9 lbs. dist. 8

———— 12 " " " S 64 E 17 " "

80.00 set port cor. of sec. 34 & 35 from which

a Beech 8 in. diameter N 84 E 18 lbs. dist. 8

a Do 28 " " " S 58 W 31 " "

Over good farming land, timbered Beech, Ash, Poplar
& Ulp. Spruce &

West on the S. Boundary of Sec. 34

40.00 set of sec. port from which

an Ash 14 in. diameter N 49 E 10 lbs. dist. 8

a Do 16 " " " S 59 W 16 " "

80.00 set port cor. of sec. 33 & 34 from which

a Beech 12 in. diameter N 18 E 3 lbs. dist. 8

a Do 14 " " " S 18 W 38 " "

Over good farming land, timbered Beech, Ash &
Ulp. Spruce

West on the S. Boundary of Sec. 33

40.00 set of sec. port from which

T. 10 N., R. 6 E. T. Mer. Ind?

a Sycamore 12 in. dia. bears S 34° W 29 lbs. dist. 8
 a Do 30 " " " S 49° W 22 " "
 80.00 set post cor. of sec. 32 & 33 from which
 an Ash 15 in. dia. bears N 85° E 30 lbs. dist. 8
 a Do 10 " " " S 87° W 30 " "
 Over good farming land, timber Beech, Ash,
 Oak & Uls. Spruce.
 The g. sec. cor. stands in edge of a Creek 70 lbs.
 wide, course S W

West on the S. Boundary of Sec. 32
 40.00 set g. sec. post from which
 an Oak 8 in. dia. bears N 53° W 2 lbs. dist. 8
 a Hackberry " " " S 49° E 17 " "
 80.00 set post cor. of sec. 31 & 32 from which
 " " " 6 in. dia. bears N 16° E 1 lbs. dist. 8
 an Ash 8 " " " S 21° W 9 " "
 Over rich land, timber Hackberry, Ash,
 Walnut & Uls. Spruce

West on the S. Boundary of Sec. 31
 40.00 set g. sec. post from which
 a Cherry 7 in. dia. bears N 87° W 9 lbs. dist. 8
 an Oak 14 " " " S 52° W 25 " "
 77.55 set post cor. of T. 9 & 10 N., R. 5 & 6 E. from which
 a Sugar 10 in. dia. bears North 7 lbs. dist. 8
 a Hickory 12 " " " S 1° W 26 " "
 Over rich land, timber Hackberry, Sugar, Walnut &

East Boundary. Var. 6° 30' E.
 North on the E. Boundary of Sec. 36
 17.71 a Beech 18 in. dia.
 40.00 set g. sec. post from which
 an Ash 12 in. dia. bears S 11° W 6 lbs. dist. 8

T. 10 N., R. 6 E. 2. Mer. Ind. a

an Ash 12 in. dia. leans N 54° W 15 lbs. dirt.
 54.50 a Brook 10 lbs. wide course 4° W
 58.30 a Beech 24 in. dia.
 80.00 set post cor. of sec. 25 & 36 from which
 a Beech 6 in. dia. leans S 13° W 11 lbs. dirt. &
 a Sugar 13 " " " N 53° E 4 " "
 Over good land, timber Beech, Ash & Spice

North on the E. Boundary of Sec. 25

3.50 a Brook 4 lbs. wide course S° W
 36.80 a Do 5 " " " S° W
 38.89 a Sugar 24 in. dia.
 40.00 set of sec. post from which
 a Beech 6 in. dia. leans N 26° E 21 lbs. dirt. &
 a Do 10 " " " S 40° W 11 " "
 80.00 set post cor. of sec. 24 & 25 from which
 a Beech 20 in. dia. leans S 25° E 9 lbs. dirt. &
 a Do 14 " " " N 37° W 9 " "
 Over good farming land, timber Beech, Sugar
 & Under Spice

North on the E. Boundary of Sec. 24

7.74 a Beech 18 in. dia.
 8.20 a Creek 50 lbs. wide course S° W
 40.00 set of sec. post from which
 a Beech 8 in. dia. leans S 35° W 8 lbs. dirt. &
 a Do 28 " " " N 15° E 15 " "
 44.00 a Do 18 " "
 80.00 set post cor. of sec. 13 & 24 from which
 a Beech 24 in. dia. leans S 43° W 9 lbs. dirt. &
 a Do 9 " " " N 15° W 20 " "
 Over good farming land, timber Beech, Poplar,
 Ash & Under Spice

T. N. N., R. 6 E. T. Mer. Ind. a.

North on the E. Boundary of Sec. 13

15.90 a Beech 20 in. dia.

23.50 a Brook 15 lbs. wide course S⁴W

40.00 set g. sec. part from which

a Beech 30 in. dia bears N⁷⁷E 9 lbs. dist. 8

a Do 12 " " " N⁷⁴W 32 " "

80.00 set part cor. of Sec. 12 & 13 from which

a Gum 15 in. dia bears S⁷⁴W 13 lbs. dist. 8

a Do 14 " " " N³²W 22 " "

Over good land, timber Beech, Poplar, Ash &
Under Spruce

North on the E. Boundary of Sec. 12

21.09 an Elm 18 in. dia.

25.50 a Brook 15 lbs. wide course W

40.00 set g. sec. part from which

a Beech 12 in. dia bears S⁸⁰W 2 lbs. dist. 8

a Do 22 " " " S⁴⁴W 20 " "

60.00 Swamp N⁶⁵W

80.00 set part cor. of Sec. 10 & 12 from which

a Willow 6 in. dia bears N¹⁰W 13 lbs. dist.

No other Bearing trees

Over rich land, timber Beech, Poplar &

North on the E. Boundary of Sec. 1

10.00 dry land

31.88 a Beech 30 in. dia.

40.00 set g. sec. part from which

a Beech 13 in. dia bears N⁵⁶W 23 lbs. dist. 8

a Do 14 " " " N¹W 27 " "

81.80 set part cor. of Sec. 10 & 11 N., R. 6 E. from which

a Beech 10 in. dia bears N¹⁵E 14 lbs. dist. 8

a Do 8 " " " S⁵¹W 34 " "

Over rich land, timber Walnut, Beech, Ash &

T.M.N., R. 6 E. S. 30. Ind. 2.

Wgr. Spice - June 15. 1819

North Boundary. Var. 7° 30' E.

West on the S. Boundary of Sec. 36, T11N, R6E
9.68 a Blue Ash 21 in. dia.40.00 set of sec. point from which
an Ash 20 in. dia. leans N10 E 23 ft. dia. 8
a Beech 16 " " " S36 E 14 " "

57.00 an Oak 40 " "

80.00 set point cor. of sec. 35 & 36 from which
a Beech 12 in. dia. leans S36 E 9 ft. dia. 3
a Do 10 " " " N36 W 24 " "Level 2 rate land, timber Beech, Ash, Oak,
Hickory, Poplar - Wgr. SpiceWest on the S. Boundary of Sec. 35, T11N, R6E
32.88 an Ash 30 in. dia.40.00 set of sec. point from which
a Beech 14 in. dia. leans N71 W 20 ft. dia. 3
an Oak 7 " " " S30 E 8 " "

45.71 a Beech 24 " "

80.00 set point cor. of sec. 34 & 35 from which
a Beech 20 in. dia. leans N77 E 10 ft. dia. 3
an Ash 24 " " " S45 W 20 " "
Land the same as last notedWest on the S. Boundary of Sec. 34, T11N, R6E
8.60 an Ash 28 in. dia.40.00 set of sec. point from which
a Hackberry 18 in. dia. leans N29 W 12 ft. dia. 3
a Buckeye 10 " " " S30 E 17 " "

56.14 a Do 15 " "

80.00 set point cor. of sec. 33 & 34 from which
a Maple 11 in. dia. leans N20 E 31 ft. dia. 3

T. 10 N., R. 6 E., S. 1 Mer. Ind.

a Willow 7 in. diameter S 20 E 15 lbs. ditto.
 Rich P. rate ~~Bottom~~, Sugar, Ash, Buckeye,
 Hackberry & Upr. Spice & Pawpaw

West on the S. Boundary of Sec. 33, T 11 N, R 6 E
 0.10 Flat Rock Creek 260 lbs. wide course S
 21.87 an Ash 12 in. dia.
 33.50 an Improvement containing 2 1/2 Acres
 40.00 Set of sec. post from which
 a Cherry 6 in. diameter N 80 E 13 lbs. ditto &
 a Hackberry 7 " " S 55 W 29 " "
 47.25 a Bl. Ash 24 " "
 80.00 Set post cor. of sec. 32 & 33 from which
 a Sugar 16 in. diameter N 83 W 24 lbs. ditto &
 a Do 7 " " S 33 E 17 " "
 First rate low ground, timber as last noted

West on the S. Boundary of Sec. 32, T 11 N, R 6 E
 15.50 a Branch 12 lbs. wide course S W
 27.50 a Beech 28 in. dia.
 40.00 Set of sec. post from which
 a Beech 12 in. diameter S 37 E 24 lbs. ditto &
 a Do 15 " " N 30 W 29 " "
 45.00 a Branch 3 lbs. wide course S E
 52.15 a Poplar 48 in. dia.
 80.00 Set post cor. of sec. 31 & 32 from which
 a Beech 14 in. diameter S 30 E 21 lbs. ditto &
 a Do 8 " " N 52 W 23 " "
 Rich land, timbered Beech, Sugar, Poplar,
 Elm & Upr. Spice

West on the S. Boundary of Sec. 31, T 11 N, R 6 E
 1.88 a Gum 20 in. dia.
 40.00 Set of sec. post from which

T. 10 N., R. 6 E. 2^d Mer. Ind^a.

a Sugar 13 in. diameter N 87° W 16 lbs. dist. &
 a Beech 7 " " " South 14 " "
 82.85 Intersect W. Boundary 173 lbs. N. of temp. Cornish
 post - set post con. of T. 10 & 11 N., R. 5 & 6 E. from which
 an Ash 8 in. diameter N 80° W 14 lbs. dist. 3
 a Do 12 " " " S 70° E 5 " "
 Land the same as last listed.
 June 24. 1819

West Boundary. Var. 6° 45' E
 North on the E. Boundary of Sec. 36, T 10 N, R 5 E
 2.52 a Sugar 14 in. dia.
 40.00 set g. sec. post from which
 a Dogwood 7 in. diameter S 2° E 5 lbs. dist. 8
 a Sugar 8 " " " N 57° W 19 " "
 54.02 a W. Oak 50 " "
 80.00 set post con. of sec. 25 & 36 from which
 a B. Walnut 7 in. diameter S 10° E 13 lbs. dist. 8
 an Ash 9 " " " N 31° E 19 " "
 Over rich land, timber Sugar, Ash & Spice

North on the E. Boundary of Sec. 25, T 10 N, R 5 E
 18.50 Flat Rock Creek 200 lbs. wide course S 9° W
 40.00 set g. sec. post from which
 a Boxelder 8 in. diameter S 34° W 19 lbs. dist. 8
 a Hackberry 12 " " " N 59° W 16 " "
 44.50 a Do 14 " "
 80.00 set post con. of sec. 24 & 25 from which
 a Sugar 16 in. diameter S 19° E 17 lbs. dist. 8
 a B. Walnut 16 " " " N 73° W 19 " "
 Over rich land, timber Walnut, Hackberry &
 Wyp. Spice

North on the E. Boundary of Sec. 24, T 10 N, R 5 E

T. 10 N., R. 6 E. S. Mer. Ind. a

22.80 an Ash 14 in. dia.

40.00 set of sec. post from which

a Hawth 8 in. dia bears S 74° W 15 lbs. dist. 3

an Oak 18 " " " N 55° W 12 " "

80.00 set post cor. of sec. 13 & 24 from which

a Walnut 7 in. dia bears S 71° W 7 lbs. dist. 3

an Ash 7 " " " N 31° E 8 " "

Over good farming land, timber Oak, Sugar, &c.

North on the E. Boundary of Sec. 13, T. 10 N., R. 5 E

22.86 a W. Oak 20 in. dia.

40.00 set of sec. post from which

a Dogwood 3 in. dia bears N 30° E 3 lbs. dist. 3

a Do 6 " " " S 81° W 23 " "

65.71 a Hickory 18 " "

80.00 set post cor. of sec. 12 & 13 from which

a Sugar 14 in. dia bears South 35 lbs. dist. 3

a Beech 18 " " " N 10° W 23 " "

Over good farming land, timber Oak &c.

North on the E. Boundary of Sec. 12, T. 10 N., R. 5 E

0.50 a Beech 14 in. dia.

40.00 set of sec. post from which

a Beech 8 in. dia bears S 43° E 19 lbs. dist. 3

an Ash 5 " " " N 33° E 4 " "

47.05 a Spanish Oak 40 in. dia.

80.00 set post cor. of sec. 10 & 12 from which

a Beech 16 in. dia bears S 15° E 35 lbs. dist. 3

a Do 10 " " " N 29° E 10 " "

Over good farming land, timber Beech, Oak &c.

North on the E. Boundary of Sec. 1, T. 10 N., R. 5 E

10.48 a Beech 20 in. dia.

40.00 set of sec. post from which

T. 10 N., R. 6 E. 2^d Mer. Ind^a

- a Beech 20 in. diameter S 19 E 30 lbs. dist. 8
 a Do 10 " " S 49 W 28 " "
 40.75 a W. Oak 48 " "
 81.73 to the cor. established in N. Boundary.
 Over good farming land. June 16. 1819
 Surveyed by John M. Donald
 Dep. Surveyor.

Subdivision. Var. 5th 36. E

North between Sec. 35 & 36 T 10 N, R 6 E

- 19.40 a Beech 24 in. dia.
 40.00 let gr. sec. port from which
 a Beech 18 in. diameter N 47 W 6 lbs. dist. 8
 a Poplar 18 " " S 21 E 10 " "
 42.45 a Beech 30 " "
 80.00 let port cor. of sec. 25, 26, 35 & 36 from which
 a Beech 7 in. diameter S 77 E 24 lbs. dist. 8
 a Poplar 14 " " N 79 W 9 " "
 This mile level State, Beech, Poplar, Oak, Ash &
 Wyl. Spice

East on Random between Sec. 25 & 36

- 40.00 let temp. gr. sec. port
 60.78 a Brook 10 lbs. wide course N
 80.93 Intersect Co. Boundary 27 lbs. N. of port -
 Land level State, timber Sugar, Poplar, Beech,
 Ash &c

West connected between Sec. 25 & 36

- 40.46 let gr. sec. port at aver. dist. from which
 a Poplar 18 in. diameter N 6 E 10 lbs. dist. 8
 a Beech 5 " " S 77 W 12 " "
 80.93 to sec. cor.

T. 10 N., R. 6 E. 2^d. Mer. Ind^a.

North between Sec. 25 & 26

4.50 a Beech 20 in. dia.

40.00 set of sec. post from which

a Hickory 6 in. dia. bears S 48 E 14 Ms. dist. 8

a Hackberry 6 " " " N 17 W 15 " "

42.50 a Stream 60 Ms. wide course NW

67.15 a Beech 18 in. dia.

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Beech 10 in. dia. bears N 39 W 21 Ms. dist. 8

a Do 20 " " " S 57 E 16 " "

This mile rich level, timber Beech, Hickory,
Poplar, Ash &c.

East on Random between Sec. 24 & 25

19.70 a Brook 12 Ms. wide course S W

30.00 a Stream 50 " " " S

40.00 set temp. of sec. post

81.29 Intersect E. Boundary 150 Ms. E. of post -

Land level E. rate, Beech, Ash, Poplar & Spruce Wg.

West Corrected between Sec. 24 & 25

9.00 a Beech 30 in. dia.

40.64 set of sec. post at aver. dist. from which

a Beech 20 in. dia. bears N 60 E 40 Ms. dist. 8

an Elm 22 " " " S 60 W 30 " "

56.40 a Beech 18 " "

81.29 to sec. cor. August 27, 1819

North between Sec. 23 & 24

11.03 a Beech 20 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. bears S 88 E 12 Ms. dist. 8

a Do 24 " " " N 75 W 24 " "

56.00 a Hickory 24 " "

T. N. N., R. O. E. I. Mer. Ind.^a

80.00 set port cor. of sec. 13, 14, 23 & 24 from which
 a Poplar 48 in. diameter S 48° W 9 lbs. dist. 8
 a Beech 12 " " " N 56° E 33 " "
 Land level & rich, timber Beech, Poplar, Ash &
 Upr. Spruce

East on Random between Sec. 13 & 24

40.00 set temp. of sec. port

65.00 a Spring

81.28 Intersect E. Boundary 83 lbs. S. of port -
 Poplar, Beech, Ash, some Oak. Upr. Spruce

West Cancelled between Sec. 13 & 24

40.64 set of sec. port at aver. dist. from which
 a Water Beech 6 in. diameter N 55° E 7 lbs. dist. 8
 an Ash 18 " " " S 59° W 18 " "

42.32 a Sugar 18 " "

81.28 to sec. cor.

North between Sec. 13 & 14

20.00 an Elm 20 in. dia.

40.00 set of sec. port from which
 a Beech 8 in. diameter S 28° E 26 lbs. dist. 8
 an Ash 8 " " " N 22° W 15 " "

66.62 a Beech 18 " "

80.00 set port cor. of sec. 11, 12, 13 & 14 from which
 a Beech 15 in. diameter S 57° E 23 lbs. dist. 8
 a Do 23 " " " N 57° W - " "
 Level & rich land, timber Beech, Ash, Elm &
 Upr. Spruce

East on Random between Sec. 12 & 13

40.00 set temp. of sec. port

80.60 Intersect E. Boundary 268 lbs. S. of port -

T. N. N., R. O. E. 2^d Mer. Ind.^a

Level rich, Poplar, Ash & Beech. Spic. Ugly

West Connected between Sec. 12 & 13

7.45 a Beech 18 in. dia.

40.30 set g. sec. port at aver. dist. from which
an Elm 36 in. dia. bears S 22° W 5 lbs. dist. 8
a Beech 10 " " " N 84° E 11 " "

45.59 a Do 16 " "

80.00 to sec. cor.

North between Sec. 12 & 11

12.02 a Sweet Gum 48 in. dia.

40.00 set g. sec. port from which
a Beech 18 in. dia. bears S 62° E 46 lbs. dist. 8
an Elm 24 " " " S 76° W 21 " "

53.50 an Oak 36 " "

80.00 set port cor. of sec. 1, 2, 11 & 12 from which
a Beech 14 in. dia. bears S 69° W 11 lbs. dist. 8
a Do 6 " " " S 52° E 5 " "
First 1/2 mile level rich, 2 1/2 miles 3^d rate,
timber B. Oak & Ash

East in Random between Sec. 1 & 12

40.00 set temp. g. sec. port

75.00 a Swamp

80.75 Intersect E. Boundary 130 lbs. S. of port -
This mile 2^d rate, Beech, Ash, Oak & Spice

West Connected between Sec. 1 & 12

40.37 set g. sec. port at aver. dist. from which
a Beech 10 in. dia. bears S 68° E 25 lbs. dist. 8
an Ash 8 " " " N 49° W 20 " "

45.33 a Hickory 16 in. dia.

80.75 to sec. cor.

T. W. N., R. C. E. D., Mer. Ind. a

North between Sec. 1 & 2

15.00 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 71 E 5 1/2 m. dist. 2,

a Do 18 " " " S 64 W 7 " "

48.20 an Oak 24 " "

84.57 Intersect N. Boundary 93 m. W. of post -

set post at intersection cor. of sec. 1 & 2 from which

a Beech 18 in. dia. bears S 65 E 30 m. dist. 2,

a Do 4 " " " S 32 W 14 " "

Level rich land, timber Ash, Poplar & Beech

North between Sec. 34 & 35

22.31 a B. Ash 20 in. dia.

40.00 set g. sec. post from which

a Beech 18 in. dia. bears N 82 E 13 1/2 m. dist. 2,

a Do 12 " " " N 63 1/2 W 17 " "

56.43 a Hickory 20 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which

a Beech 8 in. dia. bears S 44 W 12 m. dist. 2,

a Do 16 " " " N 20 E 36 " "

First 1/2 mile level 2nd rate, 2 1/2 mile level 3rd rate
timber Beech, W. Oak, Ash, Upr. Spice &c.

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. post

81.27 Intersect N. & S. line 134 m. N. of post -

Land level 2nd rate, timber Beech, Poplar, Ash
Upr. Spice &c.

West connected between Sec. 26 & 35

9.94 a Beech 15 in. dia.

40.63 set g. sec. post at aver. dist. from which

a W. Oak 48 in. dia. bears S 86 E 19 m. dist. 2

T. 10 N., R. 6 E. 2^d Mer. Ind.^a

a Beech 6 in. dia. leans N 78 E 11 W. - dirt.

49.65 a Do 15 " ,

81.27 to sec. cor.

North between Sec. 26 & 27

28.37 a Bur Oak 20 in. dia.

40.00 set g. sec. post from which

a Sugar 12 in. dia. leans N 47 E 4 W. - dirt - 8

a Water Beech 4 " " " S 74 W 29 " "

40.45 a Stream 40 W. in its course W

50.13 a Sycamore 48 in. dia.

55.00 enter Swamp

80.00 set post cor. of sec. 22, 23, 26 & 27 in Swamp from which

an Elm 18 in. dia. leans North 15 W. - dirt - 8

a Do 16 " " " S 20 E 19 " "

First 1/2 mile level 2^d rate, last 1/2 mile 3^d rate,

timber Beech, Ash, Oak, Poplar, Wyr. Spice &c.

East on Random between Sec. 23 & 26

25.00 leave Swamp

40.00 set temp. g. sec. post

80.71 intersect N & S line 11 W. S. of post -

Land level 3^d rate, timber Maple, Ash, Beech, Wyr. Spice

West corrected between Sec. 23 & 26

20.89 a Beech 10 in. dia.

40.35 set g. sec. post at aver. dirt from which

a Beech 30 in. dia. leans N 47 W 8 W. - dirt - 8

a Do 30 " " " N 65 E 10 " "

60.71 algray Ash 30 " "

80.71 to sec. cor.

North between Sec. 22 & 23

T. N. R. O. I. Mer. Ind.?

16.00 a Maple 26 in. dia.

40.00 set g. sec. post from which
an Elm 20 in. dia. bears S11W23W. dist. 8
a Bur Oak 8 " " " N18E9 " "

50.50 leave Swamp

56.00 a Sugar 6 in. dia.

80.00 set post cor. of sec. 14, 15, 22 & 23 from which
a Sugar 15 in. dia. bears N3E11W. dist. 8
a Hickory 24 " " " S12W31 " "
First 1/2 mile level 3rd rate, timber Ash, Elm,
Maple - last 1/2 mile level 2nd rate, timber Beech,
Poplar, Ash, Hickory - Upr. Spice &c.

East on Random between Sec. 14 & 23

40.00 set temp. g. sec. post

80.00 Intersect N. S. line 59 W. S. of post -
Land level 2nd rate, timber Beech, Ash, Poplar
Oak, Upr. Spice

West corrected between Sec. 14 & 23

40.00 set g. sec. post at aver. dist. from which
an Elm 15 in. dia. bears S23W26W. dist. 8
a Bur Oak 12 " " " N23E26 " "

43.13 an Elm 20 " "

80.00 to sec. cor.

North between Sec. 14 & 15

11.27 a Beech 26 in. dia.

40.00 set g. sec. post from which
an Ash 7 in. dia. bears S23W14W. dist. 8
a Gray Ash 18 " " " N15E17 " "

56.88 an Ash 8 " "

59.00 enter Swamp

60.50 leave "

T. 10 N., R. 6 E. S. Mer. Ind.^a

80.00 set post cor. of Sect. 10, 11, 14 & 15 from which
 a Beech 18 in. diam. S 82° W 22 lbs. dist. 8
 an Elm 4 " " " S 85° E 25 " "
 Level 2nd rate land, timber Beech, Ash, Sycamore
 Upr. Spice &c.

East on Random between Sect. 11 & 14

40.00 set temp. of sec. post

79.40 Intersect. N. S. line 170 lbs. S. of post -
 Land level 2nd rate, timber Beech, Ash, Poplar, Oak
 Upr. Spice &c.

West Correlated between Sect. 11 & 14

5.95 a Beech 24 in. dia.

39.70 set of sec. post at aver. dist. from which
 a Beech 18 in. dia. S 34° E 25 lbs. dist. 8
 a Do 7 " " " S 82° W 34 " "

47.20 a Gray Ash 8 in. dia.

79.40 to sec. cor.

North between Sect. 10 & 11

15.50 a Sugar 12 in. dia.

40.00 set of sec. post from which
 a Beech 24 in. diam. N 36° W 12 lbs. dist. 8
 a Do 8 " " " S 57° E 40 " "

49.66 a Poplar 18 " "

80.00 set post cor. of Sect. 2, 3, 10 & 11 from which
 a Beech 20 in. diam. N 25° W 54 lbs. dist. 4
 an Ash 24 " " " N 32° E 34 " "
 Land level 2nd rate, timber Beech, Ash, Poplar,
 Elm &c. Upr. Spice

North between Sect. 2 & 3

16.62 a Blue Ash 24 in. dia.

T. 10 N., R. 6 E. 2. Mer. Ind. a.

40.00 set g. sec. post from which

a Beech 20 in. dia. bears S 37° W 18 lbs. dist. 8

a Dr 8 " " " S 88° E 15 " "

48.34 a Hackberry 2 in. dia.

87.42 Intersect N. Boundary 60 lbs. E. of post -

set post at intersection cor. of sec. 2 & 3 from which

a Beech 20 in. dia. bears S 42° W 23 lbs. dist. 8

a Dr 20 " " " N 32° E 15 " "

Land rich & level, timber Ash, Walnut, Poplar,
Beech & Upr. Spruce. August 28, 1819

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. post

80.20 Intersect N. S. line 109 lbs. S. of post -

Land level & water, timber Beech, Ash, Poplar,
Oak, Upr. Spruce &

West Connected between Sec. 2 & 11

7.55 a Beech 18 in. dia.

40.10 set g. sec. post at aver. dist. from which

a Beech 18 in. dia. bears S 59½° W 25 lbs. dist. 8

an Elm 26 " " " East 33 " "

55.10 a Beech 15 " "

80.20 to Sec. cor. Aug. 28, 1819

North between Sec. 33 & 34

12.16 an Oak 48 in. dia.

36.00 a Stream 60 lbs. wide course S W

40.00 set g. sec. post from which

an Oak 36 in. dia. bears S 70° E 27 lbs. dist. 8

a Beech 36 " " " S 71° W 37 " "

48.25 an Oak 24 " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Gum 20 in. dia. bears S 79° E 5 lbs. dist. 8

T. 10 N., R. 6 E. 2^d Mer. Ind.^a

	an Oak 4 in. diam. bears N 72 W 8 lbs. dist. This mile level 2 ^d rate, timber Ash, Oak & Beech Ulp. Spice
East on Random between Sec. 27 & 34	
20.50	a Stream 60 lbs. wide course S
40.00	set temp. g. sec. post
80.05	Intersect N & S line 225 lbs. N. of post — Level & 2 ^d rate land, timber Beech, Oak & Ash; Spice Ulp.
West Corrected between Sec. 27 & 34	
15.42	an Ash 18 in. dia.
40.02	set g. sec. post at aver. dist. from which an Ash 18 in. diam. bears N 50 E 20 lbs. dist. S a B. Ash 8 " " " S 21 W 36 " "
49.32	a R. Oak 24 " "
80.05	to sec. cor.
North between Sec. 27 & 28	
27.50	a Beech 1... dia.
40.00	set g. sec. post from which a Beech 24 in. diam. bears S 75 E 13 lbs. dist. S a — 4 " " " S 46 W 10 " "
56.50	a Hickory 24 in. dia.
80.00	set post cor. of Sec. 21, 22, 27 & 28 from which a Beech 30 in. diam. bears N 79 W 41 lbs. dist. S a Do 15 " " " N 71 E 20 " " Level wet 3 ^d rate, timber Beech, Oak & sweet Gum Ulp. Spice
East on Random between Sec. 22 & 27	
40.00	set temp. g. sec. post
80.45	Intersect N & S line 115 lbs. N. of post — Level 2 ^d rate land, timber Beech, Ash & Oak; Spice

T. 10 N., R. 6 E. 2^d Mer. Ind.^a

West Connected between Sec. 22 & 27

9.35 an Elm 3 in. dia.

40.22 set of sec. post at aver. dist. from which
 a Beech 18 in. diameter N 68° W 17 lbs. dist. 3
 a Do 18 " " " S 21° W 26 " "

40.40 a Do 20 " "

80.45 to sec. cor.

North between Sec. 21 & 22

29.50 a Poplar 30 in. dia.

40.00 set of sec. post from which
 a Gum 14 in. diameter N E 7 lbs. dist. 3
 a Maple 8 " " " S 40° W 9 " "

62.30 a Beech 24 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which
 a Beech 14 in. diameter S 49° E 14 lbs. dist. 3
 a Do 15 " " " N 49° W 37 " "
 Land level 2^d rate, timber Beech, Oak, Ash &c.

East on Random between Sec. 15 & 22

40.00 set temp. of sec. post

82.20 Intersect N & S. line 259 lbs. N. of post—
 2^d rate land, timber Beech, Oak, Ash &c. Spice

West Connected between Sec. 15 & 22

6.53 a Sugar 20 in. dia.

41.10 set of sec. post at aver. dist. from which
 a Beech 20 in. diameter N 36° E 15 lbs. dist. 3
 a Do 3 " " " S 38° W 28 " "

35.45 a Do 20 " "

82.20 to sec. cor. August 30, 1819

North between Sec. 15 & 16

16.50 an Ash 24 in. dia.

T. 10 N., R. 6 E. 2. Mer. Ind.?

40.00 set of sec. part from which
 an Oak - in. dis. bears S. . E 9 lbs. dirt. 8
 a Beech 8 " " " N 5 W 26 " "
 50.50 a Do 20 " "
 80.00 set part con. of sec. 9, 10, 15 & 16 from which
 a Beech 18 in. dis. bears N 17 W 23 lbs. dirt. 8
 a Sugar 3 " " " S 33 E 16 " "
 This mile level rich, timber Beech, Ash, Poplar

East on Random between Sec. 10 & 15

40.00 set temp. of sec. part.
 82.50 Intersect N & S line 120 lbs. N. of part -
 Level 2. rate land, timber Beech, Poplar & Ash
 Uls. Spice 4.

West Corrected between Sec. 10 & 15

10.75 an Elm 48 in. dis.
 41.25 set of sec. part at aver. dirt. from which
 a Beech 20 in. dis. bears S 32 W 19 lbs. dirt. 8
 an Ash 24 " " " N 52 E 13 " "
 60.50 a Beech 20 " "
 82.50 to sec. con.

North between Sec. 9 & 10

17.78 a Beech 20 in. dis.
 40.00 set of sec. part from which
 a Beech 18 in. dis. bears S 69 E 38 lbs. dirt. 8
 a Do 18 " " " S 75 W 20 " "
 60.00 a Stream 15 lbs. wide course W
 67.73 a Hackberry 24 in. dis.
 86.00 set part con. of sec. 3, 4, 9 & 10 from which
 a Beech 30 in. dis. bears N 65 E 24 lbs. dirt. 8
 a Hickory 24 " " " S 73 W 14 " "
 Rich level, Ash, Walnut & Beech - Spice 4.

T. 10 N., R. 6 E. 2 Mer. Ind.?

East on Random between Sec. 3 & 10

40.00 set temp. of sec. port

80.33 Intersect N. S. line 35 lbs. N. of port -

Rich & level, timber Walnut, Beech & Ash, Spice

West Corrected between Sec. 3 & 10

25.00 a Beech 30 in. dia.

40.16 set of sec. port at aver. dist. from which

a Beech 4 in. dia. bears N 39 E 17 lbs. dist. 8,

a Sugar - " " " S 61 W 29 " "

42.31 a R. Oak 36 " "

80.33 to sec. cor.

North between Sec. 3 & 4

39.00 a Hackberry 24 in. dia.

40.00 set of sec. port from which

a Beech 9 in. dia. bears S 69 W 20 lbs. dist. 8

a Do 24 " " " N 59 E 29 " "

71.20 a Sugar 20 " "

75.00 a Stream 300 lbs. wide course S

84.76 Intersect N. Boundary 57 lbs. W. of port -

set port at intersection cor. of sec. 3 & 4 from which

a Willow Cin. dia. bears N 72 E - lbs. dist.

First 1/2 mile 1st rate - 2nd 1/2 mile 2nd rate, timber
Walnut, Hackberry, Beech, Sugar & Spice

August 31. 1819

North between Sec. 32 & 33

13.55 a Sugar Cin. dia.

40.00 set of sec. port from which

a Water Beech 5 in. dia. bears S 43 W 12 lbs. dist. 8

an Elm 15 " " " N 48 E 18 " "

48.00 a gray Ark 24 " "

80.00 set port cor. of sec. 28, 29, 32 & 33 from which

T. 10 N., R. 6 E. 2^d Mer. Ind^a.

an Elm 10 in. dia. bears N 65 E 17th. dist. 8,
 allicking 15 " " S 79 W 16 " "
 Land level 2^d rate, timber Ash, Oak, Walnut,
 Beech, Uly. Spice &c.

East on Random between Sec. 28 & 33

40.00 set temp. of sec. post

80.50 Intersect N. & S. line 31th. N. of post -

Land level 2^d rate, timber Oak, Beech, Ash, Gum
 Uly. Spice &c.

West Connected between Sec. 28 & 33

10.50 a Beech 24 in. dia.

40.25 set of sec. post at aver. dist. from which

a Beech 30 in. dia. bears N 73 E 19th. dist. 8

a Do 16 " " " N 60 W 23 " "

44.35 a Do 20 " "

80.50 to Sec. cor.

North between Sec. 28 & 29

18.04 a R. Oak 48 in. dia.

40.00 set of sec. post from which

a Beech 7 in. dia. bears S 42 W 13th. dist. 8

a Sugar 9 " " " N 42 E 29 " "

57.30 an Ash 22 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

a Beech 30 in. dia. bears N 72 E 15th. dist. 8

a Do 22 " " " S 15 W 33 " "

Land level 2^d rate, timber Ash, Walnut, Sugar,
 Beech - Uly. Spice &c.

East on Random between Sec. 21 & 28

40.00 set temp. of sec. post

80.10 Intersect N. & S. line 66th. S. of post -

T. 10 N., R. 6 E. 2. Mer. Ind.^a

Land level 2^d rate, timber Beech, Oak, Poplar,
Upr. Spice

West Connected between Sec. 21 & 28

9.87 a Beech 6 in. dia.

40.05 Set of sec. post at aver. dist. from which
a W. Oak 10 in. dia. bears N 54 E 12 Ms. dist. 3
a Hickory 16 " " S 51 W 18 " "

48.14 a Beech 9 " "

80.10 to sec. cor.

North between Sec. 20 & 21

18.80 a Hackberry 6 in. dia.

40.00 Set of sec. post from which

a Beech 6 in. dia. bears S 37 E 5 Ms. dist. 3

a Do 4 " " N 70 W 7 " "

57.06 a Hickory 20 in. dia.

70.50 enter Swamp

76.50 " "

80.00 Set post cor. of sec. 16, 17, 20 & 21 at a Water Beech
from which

a Beech 22 in. dia. bears S 67 E 30 Ms. dist. 3

a W. Oak 16 " " S 82 W 16 " "

Land 1st 1/2 mile level 1st rate, timber Walnut,
Beech, Ash, Oak - last 1/2 mile 2^d rate level,
timber same, Upr. Spice &c. August 30, 1819

East on Random between Sec. 16 & 21

40.00 Set temp. of sec. post

79.64 Intersect N. Line 67 Ms. S. of post -

Land level 2^d rate, timber Beech, Ash, Oak,
Hickory, Upr. Spice &c.

West Connected between Sec. 16 & 21

T. 10 N., R. 6 E. 2^d Mer. Ind.^a

6.29 an Elm 36 in. dia.
 39.82 set g. sec. post at aver. dist. from which
 a Beech 10 in. dia. bears S 70 E 25 lbs. dist. 8
 a Do 18 " " " N 70 W 6 " "
 51.82 a Do 15 " "
 79.64 sec. cor.

North between Sec. 16 & 17

18.00 a Beech 12 in. dia.
 40.00 set g. sec. post from which
 a Beech 20 in. dia. bears N 71 E 11 lbs. dist. 8
 a Do 24 " " " S 53 W 33 " "
 48.30 a Do 6 " "
 80.00 set post cor. of sec. 8, 9, 16 & 17 from which
 an Ash 7 in. dia. bears N 64 E 18 lbs. dist. 8
 a Beech 24 " " " S 63 W 28 " "
 Level 2^d rate, timber Beech, Ash, Walnut & Oak
 Upr. Spice &c.

East on Random between Sec. 9 & 16

40.00 set temp. g. sec. post
 82.19 Intersect N & S line at post -
 Land level 1st rate, timber Sugar, Walnut, Beech,
 Ash - Upr. Spice &c.

West Corrected between Sec. 9 & 16

22.26 a Sugar 8 in. dia.
 41.09 set g. sec. post at aver. dist. from which
 a Beech 30 in. dia. bears N 20 W 24 lbs. dist. 8
 a Do 30 " " " S 25 E 9 " "
 63.18 a Hickory 20 " "
 82.19 to sec. cor.

North between Sec. 8 & 9

- 10.30 a Beech 36 in. dia.
 38.00 a Stream called Flat Rock 150 yds. wide course S W
 40.00 set g. sec. post from which
 a Sycamore - in. dia. bears N 53 W 42 yds. dist. S
 a Cottonwood - " " " N 24 W 15 " "
 54.19 a Beech 20 " "
 80.00 set post cor. of sec. 4, 5, 8 & 9 from which
 a Beech 16 in. dia. bears N 47 E 9 yds. dist. S
 a Buckeye 7 " " " N 58 W 5 " "
 Land level, 1st 1/2 mile T. rate, 2nd 1/2 mile S. rate,
 timber Walnut, Ash, Beech, Hackberry, Spice St.

East on Random between Sec. 4 & 9

- 40.00 set temp. g. sec. post
 50.00 a Stream 150 yds. wide course S E
 71.00 a Bayou 50 yds. wide
 82.00 Intersect N & S line 30 yds. N. of post -
 Land level S rate, timber Sugar, Hickory, Walnut,
 Beech; Upr. Spice, Pawpaw - August 31. 1819

West Connected between Sec. 4 & 9

- 10.00 a Buckeye 10 in. dia.
 41.00 set g. sec. post at aver. dist. from which
 a Hickory 10 in. dia. bears N 67 W 30 yds. dist. S
 a Pawpaw 3 " " " S 57 E 3 " "
 50.55 a Beech 18 " "
 82.00 to sec. cor.

North between Sec. 4 & 5

- 11.09 a Hickory 20 in. dia.
 40.00 set g. sec. post from which
 a Beech 16 in. dia. bears S 71 W 33 yds. dist. S
 a Ash 10 " " " S 16 E 42 " "
 49.85 an Ash 24 " "

T. 10 N., R. 6 E. 2. Mer. Ind.?

61.83 a Brook 40 lbs. wide course W

85.40 Intersect N. Boundary 195 lbs. W. of port -
 set port at intersection cor. of sec. 4 & 5 from which
 an Ash 22 in. diameter N 21 E 12 lbs. dist. 4
 an Elm 18 " " " S 49 E 11 " "
 Land level good Trate, timber Beech, Ash,
 Walnut, Upr. Spruce &c.

North between Sec. 31 & 32

7.70 a Sugar 18 in. dia.

40.00 set g. sec. port from which
 an Elm 10 in. diameter S 35 E 27 lbs. dist. 8
 a Bl. Ash 14 " " " S 73 W 26 " "

55.94 a Do 20 " "

80.00 set port cor. of sec. 29, 30, 31 & 32 from which
 a Blue Ash 4 in. diameter S 45 W 3 lbs. dist. 8
 a W. Ash 5 " " " N-E 3 " "
 Level Trate land, timber Blue Ash, Walnut,
 Sugar & Elm; Upr. Water Beech, White Hawth &c.

East on Randon between Sec. 29 & 32

40.00 set temp. g. sec. port

80.18 Intersect N & S line 194 lbs. S. of port -
 Level rich, timber Ash, Sugar & Walnut, Spruce &c.

West Connected between Sec. 29 & 32

8.50 a Brook 20 in. dia.
 40.09 set g. sec. port at aver. dist. from which
 a Hickory 4 in. diameter N 63 E 19 lbs. dist. 8
 a Do 8 " " " S 59 W 21 " "

55.44 a Sugar 12 " "

80.18 to sec. cor.

West between Sec. 30 & 31

5.00 a Walnut 36 in. dia.

141

T. 10 N., R. 6 E. 2. Mer. Ind. a

40.00 set g. sec. port from which
a Blue Ash 7 in. dia. bears N 31 E 17 lbs. dist. 8
an Ash 4 " " " S 39 W 18 " "

45.00 Locust 30 " "

79.57 Intersect W. Boundary 200 lbs. S. of port -
set port at intersection cr. of sec. 20 & 31 from which
a Buckeye 10 in. dia. bears S 31 W 17 lbs. dist. 8
an Ash 8 " " " N 52 E 28 " "
Level & rich land, timber Sugar, Hickory &
Blue Ash; Spice Uls.

North between Sec. 29 & 30

30.85 a Blue Ash 24 in. dia.

40.00 set g. sec. port from which
a Sugar 14 in. dia. bears N 35 W 38 lbs. dist. 8
a Do 10 " " " S... E 36 " "

65.19 a Do 14 " "

80.00 set port cr. of sec. 19, 20, 29 & 30 from which
a Hickory 15 in. dia. bears S 56 E 7 lbs. dist. 8
a Sugar 13 " " " S 64 W 4 " "
Level & rich land, timber Ash, Sugar, Walnut
Uls. Spice &c

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. port

80.30 Intersect N. & S. line 36 lbs. N. of port -
Rich land, timber Ash, Walnut & Sugar; Spice &c

West Connected between Sec. 20 & 29

14.25 a Hickory 24 in. dia.

40.15 set g. sec. port at aver. dist. from which
an Ash 14 in. dia. bears N 35 W 18 lbs. dist. 8
a Beech 4 " " " S 18 E 25 " "

80.30 to sec. cr.

T. 10 N., R. 6 E. 2^d Mer. Ind.^a

West between Sec. 19 & 30

12.00 an Ash 24 in. dia.

40.00 set of sec. post from which

an Oak 30 in. dia. bears N 56° W 4 lbs. dist 18

an Ash 4 " " " S 40° E 18 " "

53.50 a Stream 150 lbs. wide course S W

75.00 a Hackberry 24 in. dia.

80.53 Intersect W. Boundary 104 lbs. S. of post -

set post at intersection en. of Sec. 19 & 30 from which

a Buckeye 14 in. dia. bears S 43° E 9 lbs. dist 18

a Hackberry 4 " " " S 60° W 16 " "

Rich level land, timber Bl. Ash, Walnut, Sugar

North between Sec. 19 & 20

22.00 a Sugar 13 in. dia.

40.00 set of sec. post from which

a Walnut 5 in. dia. bears N 79° E 20 lbs. dist 18

a Hickory 4 " " " S 53° W 6 " "

69.50 a Blue Ash 14 " "

80.00 set post en. of Sec. 17, 18, 19 & 20 from which

a Blue Ash 14 in. dia. bears S 86° E 46 lbs. dist 18

a Do 9 " " " S 64° W 24 " "

2^d rate land, timber Ash, Sugar, Hackberry
Spice Upr. September 1. 1819

East on Random between Sec. 17 & 20

40.00 set temp. of sec. post

80.24 Intersect N. S. line 33 lbs. S. of post -

Level 2^d rate land, timber Ash, Sugar, Hickory
Sp. Spice Upr.

West corrected between Sec. 17 & 20

2.35 a R. Oak 20 in. dia.

40.12 set of sec. post at over. dist. from which

an Ash 6 in. dia. leans N 41 E 31 lbs. ditto, &
 a Sugar 10 " " " S 45 W 24 " "
 44.00 a Beech 20 " "
 80.24 to sec. cor.

West between Sec. 18 & 19

15.00 a Stream 150 lbs. wide course S W

24.50 a Do 100 " " " " " " " "

27.90 a Sycamore 24 in. dia.

37.50 a Stream 100 lbs. wide

40.00 set g. sec. post from which

a Sugar 10 in. dia. leans N 27 E 11 lbs. ditto, &

a Hickory 9 " " " S 20 W 4 " "

61.18 a W. Oak 30 " "

82.00 Intersect W. Boundary 220 lbs. S. of post -

set post at intersection cor. of Sec. 18 & 19 from which

an Oak 14 in. dia. leans N 24 E 25 lbs. ditto, &

a Do 4 " " " S 62 W 4 " "

Level & rich land, 1 $\frac{1}{2}$ mile timber Sugar,
 Walnut, Spice Upr.

North between Sec. 17 & 18

22.00 a Hackberry 18 in. dia.

36.50 a Stream 100 lbs. wide course S W

40.00 set g. sec. post from which

a Maple 14 in. dia. leans N 79 E 13 lbs. ditto, &

a Willow 10 " " " N 68 W 49 " "

49.50 a Stream 100 lbs. wide

63.70 a Do 108 " " " " " " " "

80.00 set post cor. of Sec. 7, 8, 17 & 18 from which

a Buckeye 15 in. dia. leans N 17 E 20 lbs. ditto, &

a Hickory 4 " " " S 27 W 17 " "

Land L. rate, broken with creeks, timber Ash,
 Walnut, Sugar, Spice Upr.

T. N. N., R. C. E. I. Mer. Ind. a

East on Random between Sect. 8 & 17

2.50 a Stream 150 lbs. wide

40.00 set temp. of sec. port

79.00 Intersected N. S. line 25 lbs. N. of port -

Land level rich, timber Walnut, Blue Ash,
Sugar; Upr. Spice &c.

West Conceded between Sect. 8 & 17

3.90 a Beech 18 in. dia.

39.50 set of sec. port at aver. dist. from which
an Elm 24 in. dia. bears S 19° W 12 lbs. dist. 28
a Bl. Ash 15 " " " N 33° E 20 " "

79.00 to sec. com.

West between Sect. 7 & 18

14.88 an Oak 20 in. dia.

40.00 set of sec. port from which
an Elm 4 in. dia. bears N 18° W 25 lbs. dist. 28
a Do 5 " " " S 21° W 35 " "

53.20 a Poplar 36 " "

82.00 Intersected N. Boundary 19 lbs. S. of port -

set port at intersection C. of Sect. 7 & 18 from which
a Hickory 18 in. dia. bears N 32° W 27 lbs. dist. 28
a Beech 30 " " " S 25° E 15 " "
Land 2^d rate, timber Oak, Poplar & Ash
Upr. Spice &c. September 2, 1819

North between Sect. 7 & 8

37.33 a Beech 11 in. dia.

40.00 set of sec. port from which

a Poplar 36 in. dia. bears S 25° W 18 lbs. dist. 28
a Beech 12 " " " N 32° E 50 " "

50.10 a Hickory 24 " "

80.00 set port on of Sect. 5, 6, 7 & 8 from which

T. 10 N., R. 6 E. 2. Mer. Ind.?

a Beech 12 in. diam. N 38 E 9 lbs. dist. 8

a Do 10 " " " S 71 W 20 " "

Land 2nd rate, timber Oak, Beech, Ash; Spice

East on Random between Sec. 5 & 8

40.00 set temp. g. sec. post

48.50 enter Swamp

55.00 leave "

79.50 Intersect M. S. line 100 lbs. N. of post -
Level, T. 1/2 mile 2nd rate, 2 1/2 mile 3rd rate,
timber Oak, Beech & Poplar; Upr. Spice

West Corrected between Sec. 5 & 8

10.95 a Beech 15 in. diam.

39.75 set g. sec. post at aver. dist. from which
a Beech 7 in. diam. S 38 E 8 lbs. dist. 8
a Do 14 " " " N 57 W 10 " "

49.50 a Sugar 18 " "

79.50 to sec. cor.

West between Sec. 6 & 7

19.25 a Beech 20 in. diam.

40.00 set g. sec. post from which
a Beech 15 in. diam. S 57 E 20 lbs. dist. 8
a Do 6 " " " S 59 W 27 " "

56.70 a R. Oak 24 in. diam.

84.00 Intersect M. Boundary 115 lbs. S. of post -
set post at intersection cor. of Sec. 6 & 7 from which
a Sugar 9 in. diam. N 56 E 29 lbs. dist. 8
a Beech 20 " " " N 43 W 20 " "
Level 2nd rate land, timber Beech, Ash, Poplar
& Sugar; Upr. Spice &c.

North between Sec. 5 & 6

T. 10 N., R. 6 E. 2. Mer. Ind. a

29.70 a Beech 15 in. dia.

40.00 dit. of sec. part from which

a Beech 4 in. dia. bears S 62 E 5 lbs. dit. 23

a Do 24 " " " S 57 W 25 " "

60.50 a Do 20 " "

82.91 Intersect N. Boundary 242 lbs. W. of post -

dit. post at intersection cor. of sec. 5 & 6 from which

a Beech 15 in. dia. bears N 40 E 28 lbs. dit. 23

a Do 18 " " " S 73 W 33 " "

Level 2 rates, timber Beech, Oak & Sugar

Map. Spice &c.

Surveyed in 1819 by Abraham Lee

Dep. Surveyor

I certify that the foregoing transcript
of Field Notes of the survey of Township No.
10 North, in Range N. 6 East of the 2^d.
Principal Meridian, in the State of In-
diana, has been compared with the original
in file in this office, and found to be correct.
Surveyor General's Office,
Cincinnati, April 9. 1842

E. P. Rains
Sur. Genl.